

Blixer® 7



Number of 200-g portions per service	3 25
Amount processed per operation	0.6 - 4.8 kg

A SALES FEATURES

The Blixer® 7 can turn small amounts of cooked or raw ingredients into texture-modified meals (soft, puréed or liquid) in next to no time.

B TECHNICAL FEATURES

Blixer® 7. Three-phase 400V/50/3. Power: 1500 W. Dual speed: 1500 & 3000 rpm. 7.5-l stainless-steel bowl with handle, plus bowl-base, fine-serrated, twin-blade assembly. Watertight lid with Blixer® arm. 3 - 25 portions (200 g). Select your options at the back page **F** part.

C TECHNIC	TECHNICAL DATA	
Output power	1500 W	
Electrical datas	Three-phase 400V/50/3 3.4 A – plug not supplied	
Dual speed	1500 & 3000 rpm	
Dimensions (LxWxH)	265 x 340 x 570 mm	
Rate of recyclability	95 %	
Net weight	21,5 kg	
Reference	33269	

STANDARDS

EN 12100-1 & 2 - 2004, EN 60204-1 - 2006, EN 12852, EN 60529-2000 : IP 55 and IP 34



PRODUCT FEATURES/BENEFITS

MOTOR UNIT

- Industrial direct-drive (no belt) induction motor designed for intensive use
- Power 1500 W
- Stainless-steel motor shaft
- All-metal motor base
- Magnetic safety system, thermal failsafe and motor brake
- Dual speed 1500 & 3000 rpm
- Pulse function for greater cutting precision

BLIXER® FUNCTION

- 7.5-I stainless-steel bowl with handle for better grip.
- Bowl-base blade assembly two high-strength, stainlesssteel, fine-serrated blades for homogeneous processing

 even for small amounts.
- Central lid opening for adding liquid or solid ingredients during processing.
- High heat- and shock-resistant see-through lid to monitor processing from start to finish.
- Watertight bowl-lid assembly with Blixer® arm
- All parts are dishwasher-safe and can easily be removed for cleaning.

STANDARD ATTACHMENTS

- 7.5-litre bowl with lid.
- Blixer® arm and lid wiper
- High-resistance fine-serrated twin-blade assembly.

Update: May 2020



Blixer® 7

F

OPTIONAL ATTACHMENTS

- Additional all stainless steel fine-serrated twin-blade assembly - Ref 27313
- Additional composite fine-serrated twin-blade assembly Ref 27316
- All stainless steel coarse-serrated twin blade assembly for grinding and kneading - Ref 27314
- Composite coarse-serrated twin blade assembly for grinding and kneading- Ref 27317

G

DRAWINGS & DIMENSIONS

Three-phase – power cord and plug not supplied







