



Modular Ice Machine up to 170 kg

Item #:
Project:
Quantity:



FEATURES

- Individual transparent solid cube: each single cube is an artwork: crystal clear and perfectly shaped, faithful to the Scotsman tradition.
- Global standard footprint: strictly follows international imperial standard commonly adopted in the industry of reference.
- Agion: the technology that makes products cleaner and longer lasting with built-in protection working 24/7 to resist the growth of microbes and the development of unpleasant odors.
- Electronic control: ambient and water temperatures may change throughout the years but your ice will stay the same.
- External indicator lights: keeps ice maker's operations under constant surveillance.
- Front access condenser air filter: a do-it-yourself cleaning operation that saves time and money and makes your ice maker live
- Clean alert: advises with a blink when it's time to clean the filter.

MXG M 427 Medium Gourmet 20 g Ø 30 x H 34 mm

CONDENSING	RECOMMENDED BINS				
SYSTEM	Head	Bins		kg	
Air cooled	MXG 427	~	SB193	129	
		V	SB322	168	

REFRIGERANT **GAS**

R290

VOLTAGE V/Hz/ph

230/50/1

LEGEND:

✓ : Perfect combination between ice maker and bin : Ice chute cut-out performed upon installation CBTxxxxxxxxxx : need additional bin top

ications:



OPERATING REQUIREMENTS

	Minimum	Maximum			
Air temperature	10°C	43°C			
Water temperature	5°C	38°C			
Water pressure	1 bar (14 psi)	5 bar (70 psi)			
Electrical voltage	-10%	+10%			

TANT NOTICE: and specifications are su ithout notice.

c sheet is meant for comm ose only. For technical documentation please refer to our service manuals. Download our free App Scotsman Ice Apple store Google play Windows store


www.scotsman-ice.it www.scotsman-ice.com





Modular Ice Machine up to 170 kg

Item #: Project: Quantity:



UNIT DATA

Size (W x D x H) 568 x 704 x 721 mm

Net weight 66 kg

SHIPPING DATA

Carton (W x D x H) 630 x 770 x 910 mm

Weight 77 kg

			Compressor		Circuit wires		
Version	Voltage	Btu/h	W	No.	Ømm²	Α	
MXG M 427 AS	230/50/1	12352	3620	3	1.5	16	

				24 h ice production kg °C Amb. / °C Water		Ene consum	37	Water usage*	Instant power
Version	Condensation	Voltage	10°C/10°C	21°C/10°C	32°C/21°C	kWh/100 kg	kWh/24h	l/h	w
MXG M 427 AS	Air	230/50/1	170	165	135	19.7	26.7	18.0	1350

^(*) Data refer to 32°C Amb. / 21°C Water temperature conditions